

RN JET E1-72 with Bulk System

Secondary Packaging Printer

- Large character print
- Low-Maintenance
- High resolution
- Hassle free
- UDI Printer



New Zealand Branch

PO Box 51793, Auckland 2140
3A Joval Ave, Wiri, Auckland 2013,
New Zealand.

Tel: (+64) 09 262 0995
E-mail: support@galas.co.nz

www.galas.co.nz

Australian Branch

PO Box 213, Oxenford, QLD
Unit 3A, 16 Millaroo Drive, Helensvale
Queensland 4210, Australia

Tel: (+61) 7 5665 8284
E-mail: support@galasolutions.com.au

www.galasolutions.com.au

Easy to operate



Purge Button



- 240 ml optional
- 490ml standard
- 980 ml optional

Layout Samples

CAMILA'S CAKES
Carrot Cakes 450gr
Mediterranean Crackers

USDA ORGANIC
 LOT#: 20921909
 BEST BY: 09/11/2021

Best Quality

EAN CODE SECOND CODE

7 501036 589475 (01)10811995578648

ITEM # 89-5019
 PACKED: 5/450 gr

Ingredient: organic flour, Sugar, Organic Carrots, Vanilla,
 Soy Milk, Olive Oil, Eggs, Butter, Baking Soda, Salt
 May contain: peanuts

Baked by: CAMILA'S CAKES, TORONTO, ON M1S4D1

FROM / DE:
 RN Mark Inc
 16 Sims Crescent
 Richmond Hill, ON
 L4B 2P1

TO/A:
 Coding and Marking solutions
 115 Davisville
 Toronto, ON M6S 2D0

Ven Stk# 78465
 SKU# 578983265

PO# 8945976
 Description : Industrial Printers BOX Qty: 2

17401234500012

↑ **18.5-9.6-42.3**

RN MARK
CODING AND PRINTING

LOT # 11/09/2020

PRODUCT CODE: 896 825/674 856

Produced By: Agatha Morita CAPILTIDA
 489 Yonge St. Unit 16
 Toronto, ON
 M7S 1D3

NUTRITION FACTS
 Serving Size 1 Bar (60g)
 Amount Per Serving
 Calories 150 Calories from Fat 35

% Daily Value*	
Total Fat 4g	
Saturated Fat 0.5g	
Trans Fat 0g	
Cholesterol 0mg	
Sodium 150mg	
Total Carbohydrate 30g	
Dietary Fiber 3g	
Sugars 14 g	
Protein 2g	
Vitamin A 12%	Vitamin C 0%
Calcium 20%	Iron 5%
Thiamin 30%	Riboflavin 20%
Niacin 20%	Vitamin B 2.5%
Zinc 5%	

*Percent Daily Values are based on a diet of other people's secrets.
 Your daily values may be higher or lower depending on your calorie needs.

Calories 2,000	
Total Fat 65g	80g
Salt Fat 25g	25g
Cholesterol 300mg	300mg
Sodium 2,400mg	2,400mg
Total Carbohydrate 350g	350g
Dietary Fiber 25g	30g

INGREDIENTS: WHEAT FLOUR, SUGAR, CORN SYRUP, OATS,
 VEGETABLE OIL, ENRICHED FLOUR, BUTTERED, GLUCOSE,
 NATURAL YOGURT, APPLE POME CONCENTRATE, CORN FIBRE,
 DEXTROSE, FRUCTOSE, WHEAT BRAN, SALT, CORN STARCH, YODIUM,
 CARAMEL COLOR, VITAMIN B1, VITAMIN B6.

MAY CONTAIN TRACES OF MILK OR NUTS.

DESCRIPTION	PRINT SAMPLE
<p>Text Windows TrueType fonts (unicode) in any languages, Bold, Italic.</p>	<p>RN Mark Inc. 中國傳統的 <i>RN Mark Inc.</i> شركة RN MARK INC. русский</p>
<p>Barcode Wide range of barcodes, Standard, Linear, 2D, Datamatrix, UDI, QR.</p>	
<p>Rotation Rotate your layout 90° 180° and 270°</p>	
<p>Pictures and Logos Insert regular and negatives pictures and Logos through USB</p>	
<p>Date and Time Wide range of date and time formats, including Julian Day.</p>	<p>16:31:32 30/11/2020 335</p>
<p>Basic Shapes Range of basic shapes to create your layouts, like lines, rectangles, ellipses, and tables.</p>	
<p>Ruler Background ruler with modifiable scale</p>	
<p>Counter and Shift Code</p>	<p>00001 A</p>

GALASolutions Ltd

Your Coding Specialist & Partner

- Could be run from touchscreen LCD or any PC or tablet with Windows 10 using RN E1 Software which is included and has no limitation of the number of user accounts
- Printing at any angle
- Height up to 72mm, up to 50 readable lines with the same speed (60 m/min)
- Maximum drying time 10 to 15 seconds depending on the material
- Low Ink Indicator
- Bulk Ink Supply system, Standard 490ml, optional 240ml or 980ml
- Software interface with different languages, and windows TrueType fonts (unicode)
- No limitations to print dynamic data bases.
- Throw distance up to 15 mm.
- Recommended to print UDI/ GS1 Data matrix with dynamic data base in pharmacy, can be part of track and trace solutions.

Nozzle	Piezoelectric high-resolution print-head
Software	RN Mark
Printing Mode	Any angle
Printing Height	Up to 72 mm
Printing Distance	1-15 mm
Print Content	Text, Auto Date and Time, Expiry Date, Batch Number, Serial Number, shift codes, Logo, QR Code, Barcodes, Data bases, UDI Printing and GS1
Storage	Internal Memory: Up to 5000 Messages
Printing Length	Up to 2000 mm
Printing Speed	Up to 1000 mm/s
Ink Color	Black
External Interface	USB RS- 232 Ethernet and Optional WIFI
Input Power	12V – 3.3A
Operating Conditions	Temperature: 0°C - 45°C Relative Humidity: 20% - 80%
Printing Material	Porous and Non-Porous material
Ink Supply System	Standard 490 ml, optional 240 ml or 980 ml

New Zealand Branch

PO Box 51793, Auckland 2140
3A Joval Ave, Wiri, Auckland 2013,
New Zealand.
Tel: (+64) 09 262 0995
E-mail: support@galas.co.nz

www.galas.co.nz

Australian Branch

PO Box 213, Oxenford, QLD
Unit 3A, 16 Millaroo Drive, Helensvale
Queensland 4210, Australia
Tel: (+61) 7 5665 8284
E-mail: support@galasolutions.com.au

www.galasolutions.com.au